




460 Series ANSI Process


3000 RPM Performance Curves
Semi-Open Impellers



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000


Size: 2L1.5x3-10A/OP
 Speed: 2900 rpm
 Dia: 10 in
 Curve: CS-17524



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000


Size: 2L1.5x3-13/OP
 Speed: 2900 rpm
 Dia: 13 in
 Curve: CS-17540



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000


Size: 2L2x3-6/OP
 Speed: 2900 rpm
 Dia: 6.25 in
 Curve: CS-17506



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000


Size: 2L2x3-8/OP
 Speed: 2900 rpm
 Dia: 8.188 in
 Curve: CS-17515



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000


Size: 2L2x3-10A/OP
 Speed: 2900 rpm
 Dia: 10 in
 Curve: CS-17527



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000


Size: 2L2x3-13/OP
 Speed: 2900 rpm
 Dia: 13 in
 Curve: CS-17543



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000


Size: 2L3x4-8/OP
 Speed: 2900 rpm
 Dia: 8.188 in
 Curve: CS-17518



Company: American-Marsh Pumps
Name:
12/09/05

American-Marsh Pumps
Catalog: WTRWKS-2005c.50, vers 2.5c
460_OSD_OP - 3000


Size: 2L3x4-10/OP
Speed: 2900 rpm
Dia: 10 in
Curve: CS-17530



Company: American-Marsh Pumps
Name:
12/09/05

American-Marsh Pumps
Catalog: WTRWKS-2005c.50, vers 2.5c
460_OSD_OP - 3000

Size: 2L3x4-13/OP
Speed: 2900 rpm
Dia: 11 in
Curve: CS-17546



Company: American-Marsh Pumps
 Name:
 12/09/05

American-Marsh Pumps
 Catalog: WTRWKS-2005c.50, vers 2.5c
 460_OSD_OP - 3000

Size: 2L4x6-10/OP
 Speed: 2900 rpm
 Dia: 10 in
 Curve: CS-17535