


Pioneering for You



*2022 - North America - 60 Hz.*

## Marine Product Guide


Pumps and systems for yachts and workboats.





## Marine Straight Centrifugal Pumps

35000 Series



### Application

- Air Conditioning
- Refrigeration
- Cooling Water Circulation

### Max. Flow

90 GPM

### Max. Head

48 feet

### Features & Benefits

- Heavy Duty Cast Construction
- Close Coupled-Back Pullout Design
- Enclosed & Semi-Open Impeller
- Continuous Duty Motor

### Technical Data

- NEMA 50/60HZ Motors
- TEFC Motor is Standard
- NPT Connections


### Materials of Construction

- Marine Bronze Case, Impeller and Adapter



## Marine Straight Centrifugal Pumps

48000 Series



### Application

- Air Conditioning
- Refrigeration
- Cooling Water Circulation

### Max. Flow

110 GPM

### Max. Head

90 feet

### Features & Benefits

- Heavy Duty Cast Construction
- Close Coupled-Back Pullout Design
- Semi-Open Impeller
- Continuous Duty Motor

### Technical Data

- NEMA 50/60HZ Motors
- TEFC Motor is Standard
- NPT Connections


### Materials of Construction

- Marine Bronze Case, Impeller and Adapter



## Marine Straight Centrifugal Pumps

57000 Series



### Application

- Air Conditioning
- Refrigeration
- Chilled Water Circulation

### Max. Flow

400 GPM

### Max. Head

130 feet

### Features & Benefits

- Heavy Duty Cast Construction
- Close Coupled-Back Pullout Design
- Enclosed & Semi-Open Impeller
- Continuous Duty Motor

### Technical Data

- NEMA 50/60HZ Motors
- TEFC Motor is Standard
- NPT Connections


### Materials of Construction

- Marine Bronze Case, Impeller and Adapter



## Marine Sewage & Wastewater Centrifugal Pumps

48382 Series



### Application

- Sewage Transfer
- Wastewater

### Max. Flow

100 GPM

### Max. Head

50 feet

### Features & Benefits

- Heavy Duty Cast Construction
- Close Coupled-Back Pullout Design
- Vortex Impeller
- Continuous Duty Motor

### Technical Data

- NEMA 50/60HZ Motors
- TEFC Motor is Standard
- 2" NPT Connections


### Materials of Construction

- Marine Bronze Case, Impeller and Adapter



## Marine Self-Priming Centrifugal Pumps

48000 and 68000 Series



### Application

- Raw Water Intake
- Air Conditioning
- Refrigeration
- Bilge/Ballast
- Fire Fighting/Washdown

### Max. Flow

200 GPM

### Max. Head

100 feet

### Features & Benefits

- Heavy Duty Cast Construction
- Close Coupled-Back Pullout Design
- Enclosed & Semi-Open Impeller
- Self-Priming up to 20' lift
- Continuous Duty Motor

### Technical Data

- NEMA 50/60HZ Motors
- TEFC Motor is Standard
- NPT Connections

### Materials of Construction

- Marine Bronze Case, Impeller and Adapter



## Marine Vented Loops

20913 Series

### Models and Sizes Vented Loop with Vacuum Breaker

Loop Model No.	Size-D	Wt. (Lbs.)	Includes Vacuum Breaker Item
20913-VL-05	1/2	0.05	20913-VB-18F
20913-VL-06	5/8	0.06	20913-VB-18F
20913-VL-07	3/4	0.07	20913-VB-18F
20913-VL-09*	7/8	1.00	20913-VB-18F
20913-VL-10	1	1.10	20913-VB-18F
20913-VL-11**	1-1/8	1.20	20913-VB-38
20913-VL-15	1-1/2	1.30	20913-VB-38
20913-VL-20	2	1.70	20913-VB-38

\*Same as 1/2" pipe O.D.  
\*\*Fits rule bilge pump hose

### Application

- Head Flushing Discharge Line
- Engine Wet Exhaust Line
- Bilge Pump Out Line

### Max. Flow

200 GPM

### Max. Head

100 feet

### Features & Benefits

- Stops Back Siphonage
- Sizes 1/2"-2"
- SAE Hose Barb Connection

### Technical Data

- Delrin Vacuum Breaker Included
- Corrosion Proof Construction

### Materials of Construction

- 316 Stainless Steel



MPG-001-0721

**Weil Pump**

+1 262-377-1399  
[www.weilpump.com](http://www.weilpump.com)  
[weil.sales@wilo.com](mailto:weil.sales@wilo.com)

**Scot Pump**

+1 262-377-7000  
[www.scotpump.com](http://www.scotpump.com)  
[scot.sales@wilo.com](mailto:scot.sales@wilo.com)

**WILO USA LLC**

+1 262-204-6600  
[www.wilo-usa.com](http://www.wilo-usa.com)  
[info.us@wilo.com](mailto:info.us@wilo.com)

**WILO Canada Inc.**

+1 403-276-9456  
[www.wilo-canada.com](http://www.wilo-canada.com)  
[info@wilo-canada.com](mailto:info@wilo-canada.com)