



### OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on February 6, 2017.

WILO USA LLC  
86 Genesis Parkway  
Thomasville, GA 31792  
888-945-6872  
229-584-0097

Facility: Izmir, Turkey

#### Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Submersible Motors</b> [G] YY 304SS XXX HP, 460 V, 3PH [1] [2] [4] 3S	6" - 10"	CLD 23	MLTPL
<b>Sumersible Pump - Pump Ends</b> [G] SPI WW XXX YY BZ [1] [3]	6" - 10"	CLD 23	MLTPL

[1] Certified for a minimum daily flow of 80,000 L.

[2] YY - Motor diameter  
XXX - Motor power

[3] WW - Nominal diameter  
06 - 6"  
07 - 7"  
08 - 8"  
10 - 10"  
XXX - Nominal capacity  
010 - 10 m3/hour  
017 - 17 m3/hour  
030 - 30 m3/hour  
045 - 45 m3/hour  
060 - 60 m3/hour  
075 - 75 m3/hour  
095 - 95 m3/hour  
110 - 110 m3/hour  
125 - 125 m3/hour  
160 - 160 m3/hour  
210 - 210 m3/hour

YY - Number of stages  
1 - 60

Z - Quantity of B type impeller  
1 - 60

[4] motors with PE2 + PA winding inside motor are also certified.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.