



Certificate number: 2401711 (1)

lssued 02/01/2024 Expires 02/01/2029

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a) Model number(s) – see Appendix

Wilo SE.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply. See <u>https://www.kiwa.com/gb/en/about-kiwa/water-products/</u> or the QR code below to ensure that the certificate is still valid.

Kiwa Watertec

(A Trading Division of Kiwa Ltd) 26A Rassau Industrial Estate Ebbw Vale Gwent NP23 5SD United Kingdom T +44 (0)1495 308185 uk.water@kiwa.com www.kiwa.co.uk Certificate Issued to: Wilo SE Wilopark 1 44263 Dortmund Allemagne Germany



Product Certificate



Appendix to Certificate number: 2401711

The following products belong to this certificate

PRODUCT DESCRIPTION
Range of circulator pumps with brass bodies.
ATS3 – Without Production Surveillance.
MODEL(S)
STAR – Z NOVA - ½"x½" BSP (F)
STAR – Z NOVA A - 1"x1" BSP (M)
STAR – Z NOVA T - 1"x1" BSP(M)
SIZE:
See model.
SCOPE:
Manufacturer recommended maximum working pressure 10 Bar & maximum operating temperature 65°C.
Hygienic Purposes: Non-metallic materials suitable for continuous use up to 65°C.
MARKING
Wilo, model no and date of manufacture on control box.
MATERIALS
Non-metallic materials assessed (BS6920) to point of discharge.
BACKFLOW PROTECTION NOTES
N/A.
ADDITIONAL NOTES
All water contact & exposed components satisfy opacity requirements.

Extra Notes