

[Home \(Https://Www.Csagroup.Org/\)](https://www.csagroup.org/) /
[Testing And Certification \(Https://Www.Csagroup.Org/Testing-Certification/\)](https://www.csagroup.org/testing-certification/) /
[CSA Group Product Listing \(Https://Www.Csagroup.Org/Testing-Certification/Product-Listing/\)](https://www.csagroup.org/testing-certification/product-listing/)
/ Certification Record | CSA Group.

Certification Record | CSA Group.

Contact an Expert
(<https://www.csagroup.org/contact/>)

[Back to Product List \(/testing-certification/product-listing/\)](#)

CUSTOMER	CLASS	FILE NUMBER
WILO USA LLC 9550 W Higgins Rd., Suite 300 Rosemont Illinois United States 60018	6861-08 (/testing-certification/product-listing/class/?class=6861-08) MECHANICAL DEVICES - Certified to NSF/ANSI/CAN 61 SECTION 8	272020

The following are certified to Cold 23oC conditions:

Vertical Multistage Centrifugal In-Line Pumps

Models	Size (mm)	Number of stages
VMS 1	32	2-36
VMS 3	32	2-36
VMS 5	32	2-36
VMS 10	42	1-22
VMS 15	65	1-17
VMS 20	65	1-17
VMS 32	74	1-14
VMS 45	80	1-13
VMS 64	100	1-8
VMS 90	100	1-6
VMS 120	100	1-7

Submersible Pump Ends 1,2

(<https://www.csagroup.org/>)

Models	Size (Inches)	Number of stages
TWI 4.05	4	2-57
TWI 4.07	4	2-32
TWI 4.10	4	2-90
TWI 4.18	4	2-75
TWI 4.25	4	2-85
TWI 4.40	4	2-110
TWI 4.70	4	2-25
TWI 6.90	6	1-60
TWI 6.150	6	1-54
TWI 6.230	6	1-37
TWI 6.300	6	1-30
TWI 8.400	8	1-25
TWI 8.500	8	1-22
TWI 10.650	10	1-17
TWI 10.800	10	1-15
TWI 10.1100	10	1-11

Contact an Expert
(<https://www.csagroup.org/contact/>)

1. Certified for minimum daily flows of 3,600 L (4" pumps), 48,000 L (6" & 8" pumps) and 360,000 L (10" pumps).
2. Certification does not include the submersible motors.

Contact an Expert

We're always here to help.
Let's talk.

We're here to answer your questions and help you get started right away. Call or send us a message anytime.

Contact Us (</contact>)

[Home \(https://www.csagroup.org/\)](https://www.csagroup.org/) /
[Testing And Certification \(https://www.csagroup.org/testing-certification/\)](https://www.csagroup.org/testing-certification/) /
[CSA Group Product Listing \(https://www.csagroup.org/testing-certification/product-listing/\)](https://www.csagroup.org/testing-certification/product-listing/)
/ Certification Record | CSA Group.

Certification Record | CSA Group.

Contact an Expert
(<https://www.csagroup.org/contact/>)

[Back to Product List \(/testing-certification/product-listing/\)](#)

CUSTOMER	CLASS	FILE NUMBER
WILO USA LLC 9550 W Higgins Rd., Suite 300 Rosemont Illinois United States 60018	6853-01 (/testing-certification/product-listing/class/?class=6853-01) LOW LEAD CONTENT CERTIFICATION PROGRAM - Plumbing Products	272020

To the requirements of
NSF/ANSI 372

Products certified to NSF/ANSI 372 conform to the requirements for "lead free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by Section 1417 of the US Safe Drinking Water Act.

Vertical Multistage Centrifugal In-Line Pumps

Models	Size (mm)	Number of stages
VMS 1	32	2-36
VMS 3	32	2-36
VMS 5	32	2-36
VMS 10	42	1-22
VMS 15	65	1-17
VMS 20	65	1-17
VMS 32	74	1-14
VMS 45	80	1-13
VMS 64	100	1-8

**Testing &
Certification**

VMS 90 (https://www.csagroup.org/testing-certification/)	100	1-6
VMS 100	100	1-7
VMS 150	100	1-6

Standards (<https://www.csagroup.org/standards/>)

(<https://www.csagroup.org/>)

Products certified to NSF/ANSI 372 conform to the requirements for "lead free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by Section 1417 of the US Safe Drinking Water Act.

Submersible Pump Ends 1,2

Models	Size	Number of stages
TWI 4.05	4"	2-57
TWI 4.07	4"	2-32
TWI 4.10	4"	2-90
TWI 4.18	4"	2-75
TWI 4.25	4"	2-85
TWI 4.40	4"	2-110
TWI 4.70	4"	2-25
TWI 6.90	6"	1-60
TWI 6.150	6"	1-54
TWI 6.230	6"	1-37
TWI 6.300	6"	1-30
TWI 8.400	8"	1-25
TWI 8.500	8"	1-22
TWI 10.650	10"	1-17
TWI 10.800	10"	1-15
TWI 10.1100	10"	1-11

Contact an Expert
(<https://www.csagroup.org/contact/>)

Products certified to NSF/ANSI 372 conform to the requirements for "lead free" plumbing products as defined by California, Vermont, Maryland and Louisiana state laws and by Section 1417 of the US Safe Drinking Water Act.

Submersible Pump Ends 2

Models	Size	Number of stages
TWU 4.05	4"	3-52
TWU 4.07	4"	3-36
TWU 4.10	4"	3-42
TWU 4.13	4"	5-35
TWU 4.18	4"	4-48
TWU 4.25	4"	4-60
TWU 4.35	4"	6-50
TWU 4.40	4"	4-37
TWU 6.50	6"	5-24
TWU 4.55	4"	5-32
TWU 4.60	4"	4-38
TWU 6.75	6"	4-24

Testing & Certification (https://www.csagroup.org/)	TWU 4.80 (https://www.csagroup.org/testing-certification/)	4" 6"	Standards (https://www.csagroup.org/standards/)
	TWU 6.180	6"	5-26 3-32
	TWU 6.220	6"	2-25 2-23

Contact an Expert

We're always here to help.
Let's talk.

We're here to answer your questions and help you get started right away. Call or send us a message anytime.

[Contact Us \(/contact\)](#)

Contact an Expert
[\(https://www.csagroup.org/contact/\)](https://www.csagroup.org/contact/)