



- INFORMACIÓN DEL PRODUCTO

|                                                                      |                                                                                                                                                                                                                          |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Código de identificación único del producto:</b>                  | Referirse a “modelo” mas abajo                                                                                                                                                                                           |
| <b>Fabricante (incluyendo domicilio de la planta de producción):</b> | KESSEL Sp. z o.o. ul. Innowacyjna 2, Biskupice Podgórne, 55-040 Kobierzyce - Polonia                                                                                                                                     |
| <b>Identificación del producto:</b>                                  | Sistema de bombeo de aguas residuales                                                                                                                                                                                    |
| <b>Marca:</b>                                                        | Wilo                                                                                                                                                                                                                     |
| <b>Modelo:</b>                                                       | 1) DrainLift MINI3-XS-I<br>2) DrainLift MINI3-XXS-I<br>3) DrainLift MINI3-XS/WC-I<br>4) DrainLift MINI5-XS/C-I<br>5) DrainLift MINI5-XS/WC-I                                                                             |
| <b>Características Técnicas:</b>                                     | 1x230V-50Hz, IP44, Clase F<br>1) P1: 0,42kw; P2: 0,25kw; I: 1,9A<br>2) P1: 0,25kw; P2: 0,15kw; I: 1,2A<br>3) P1: 0,70kw; P2: 0,42kw; I: 3,4A<br>4) P1: 0,75kw; P2: 0,45kw; I: 3,5A<br>5) P1: 0,70kw; P2: 0,42kw; I: 3,4A |

- NORMAS Y EVALUACIÓN DE LA CONFORMIDAD

|                                                                                 |                                                                                                               |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Reglamento/s por el que se encuentra alcanzado:</b>                          | Res 17/2025 – Modificaciones y normas complementarias                                                         |
| <b>Norma/s Técnica:</b>                                                         | IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-2-41:2012, IEC 62233:2005 |
| <b>Referencia al documento de evaluación de conformidad emitido por un OEC:</b> | Nro. de certificado: DE1-68499                                                                                |
|                                                                                 | Fecha de emisión: 12/03/2024                                                                                  |
|                                                                                 | Fecha de control de vigilancia: -                                                                             |
|                                                                                 | Fecha de Vencimiento: 12/03/2026                                                                              |
|                                                                                 | Organismo de Certificación: VDE                                                                               |

- OTROS DATOS

|                                                                        |                                                                                                                       |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Enlace a la copia de la declaración de conformidad en Internet:</b> | <a href="https://qr-app.plwgroup.com/company/ZjRjNmQxMDUzODd">https://qr-app.plwgroup.com/company/ZjRjNmQxMDUzODd</a> |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|

*La presente declaración jurada de conformidad se emite, en todo de acuerdo con el/los Reglamentos Técnicos aludidos precedentemente, asumiendo la responsabilidad directa por los datos declarados, así como por la conformidad del producto.*



Edgar Thiemt

CTO / Vorstand Technik

Firma, aclaración y DNI del representante legal

PLW Group



IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

Sanitary pump

Name and address of the applicant

Kessel AG  
Bahnhofstr. 31, 85101 Lenting  
GERMANY

Name and address of the manufacturer

Kessel AG  
Bahnhofstr. 31, 85101 Lenting  
GERMANY

Name and address of the factory

KESSEL Sp. z o.o.  
ul. Innowacyjna 2, Biskupice Podgórne, 55-040 Kobierzyce  
POLAND*Note: When more than one factory, please report on page 2*

Ratings and principal characteristics

☐ Additional Information on page 2a) 1~230V, 50Hz, 3,4A, 9m<sup>3</sup>/h, 9m, P2 420W,  
IP 44, S3 15%, 50°C ..... (P1 700W)  
further ratings, see page 2

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

a) DrainLift MINI5-XS/WC, b) DrainLift MINI5-XS/C,  
c) DrainLift MINI3-XS/WC, d) DrainLift MINI3-XS,  
e) DrainLift MINI3-XXSAdditional information (if necessary may also  
be reported on page 2)☒ Additional Information on page 2A sample of the product was tested and found  
to be in conformity withIEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013,  
IEC 60335-1:2010/AMD2:2016,  
IEC 60335-2-41:2012,  
IEC 62233:2005As shown in the Test Report Ref. No. which  
forms part of this Certificate

295876-TL2-2

This CB Test Certificate is issued by the National Certification Body

**VDE** Prüf- und Zertifizierungsinstitut GmbH  
**VDE** Testing and Certification Institute  
Zertifizierungsstelle und internat. Angelegenheiten  
Certification Body and internat. Affairs



Date: 2024-03-12

Signature:

T. Baumann

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

**Additional information (if necessary)**

Ratings:

- b) 1~230V, 50Hz, 3,5A, 9m<sup>3</sup>/h, 10,5m, P2 450W, IP 44, S3 15%, 50°C ..... (P1 750W),
- c) 1~230V, 50Hz, 3,4A, 9m<sup>3</sup>/h, 9m, P2 420W, IP 44, S3 15%, 40°C ..... (P1 700W),
- d) 1~230V, 50Hz, 1,9A, 6m<sup>3</sup>/h, 8m, P2 250W, IP 44, S3 15%, 40°C ..... (P1 420W),
- e) 1~230V, 50Hz, 1,2A, 5m<sup>3</sup>/h, 5,5m, P2 150W, IP 44, S3 15%, 40°C ..... (P1 250W)

**VDE** Prüf- und Zertifizierungsinstitut GmbH  
**VDE** Testing and Certification Institute  
Zertifizierungsstelle und internat. Angelegenheiten  
Certification Body and internat. Affairs



Date: 2024-03-12

Signature:

T. Baumann